

Test Report No. SHAEC1920070401 Date: 19 Sep 2019 Page 1 of 4

JIANGXI AIDMER SEAL & PACKING CO.,LTD.

WANFU ECONOMIC DEVELOPMENT ZONE WUNING COUNTY JIUJIANG CITY JIANGXI CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: Expanded PTFE Joint

Sealant

SGS Job No.: SP19-030814 - SH

Date of Sample Received: 09 Sep 2019

Testing Period: 09 Sep 2019 - 19 Sep 2019

Test Requested : Selected test(s) as requested by client.

Test Method: Please refer to next page(s).

Test Results: Please refer to next page(s).

Result Summary:

Test Requested	Conclusion
FDA 21 CFR 177.1550-Total extractives	PASS
FDA 21 CFR 177.1550- Fluoride extractives (as fluorine)	PASS

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Dora Hu

Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention:*To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

Attention: To Check the authenticity of testing /inspection report a certificate, please contact as at telephone. [66-735] 6307 or email: CN.Doccheck@sgs.com

3¹⁶Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国•上海•徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 t HL (86–21) 61402594 f HL (86–21)61156899



Test Report No. SHAEC1920070401 Date: 19 Sep 2019 Page 2 of 4

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description Material (claimed by the client)

PTFE SN₁ SHA19-200704.001 White solid

Remarks:

(1) mg/dm² = milligram per square decimeter

(2) mg/kg = milligram per kilogram

(3) °C= degree Celsius

(4) < = less than

(5) MDL = Method Detection Limit

(6) ND = Not Detected (< MDL)

FDA 21 CFR 177.1550-Total extractives

Test Method: With reference to FDA 21 CFR 177.1550

Simulant Used	<u>Time</u>	<u>Temperature</u>	Max. Permissible	Result of 001	Conclusion
			<u>Limit</u>	Total extractives	
Distilled water	2hr(s)	Reflux temperature	0.2mg/inch²	0.2mg/inch²#	PASS
50% Ethanol	2hr(s)	Reflux temperature	0.2mg/inch²	<0.1mg/inch²	PASS
n-Heptane	2hr(s)	Reflux temperature	0.2mg/inch²	<0.1mg/inch²	PASS
Ethyl acetate	2hr(s)	Reflux temperature	0.2mg/inch²	<0.1mg/inch²	PASS

FDA 21 CFR 177.1550- Fluoride extractives (as fluorine)

With reference to FDA 21 CFR 177.1550 Test Method:

Simulant Used	<u>Time</u>	<u>Temperature</u>	Max. Permissible	Result of 001	Conclusion
			<u>Limit</u>	<u>Fluoride</u>	
				extractives (as	
				<u>fluorine)</u>	
50% Ethanol	2hr(s)	Reflux	0.03mg/inch ²	<0.03mg/inch²	PASS
		temperature			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms on report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rdBuilding, No. 889 Yishan Road Xuhui District, Shanghai China 200233

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899



Test Report	No. SH	No. SHAEC1920070401		Date: 19 Sep 2019	
Ethyl acetate	2hr(s)	Reflux temperature	0.03mg/inch²	<0.03mg/inch²	PASS
n-Heptane	2hr(s)	Reflux temperature	0.03mg/inch²	<0.03mg/inch²	PASS
Distilled water	2hr(s)	Reflux temperature	0.03mg/inch ²	<0.03mg/inch²	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CR.Doccheck@gs.com"

13rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899




Test Report

No. SHAEC1920070401

Page 4 of 4

Date: 19 Sep 2019

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this lest report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,